

The Unmet Health Care Needs of Homeless Adults: A National Study

Travis P. Baggett, MD, MPH, James J. O'Connell, MD, Daniel E. Singer, MD, and Nancy A. Rigotti, MD

An estimated 2.3 to 3.5 million Americans experience homelessness each year.¹ The health problems of homeless people are broad and multidimensional, contributing to excess mortality.^{2–7} Rates of acute and chronic medical illness are high, in many cases surpassing those of the general population.^{8–15} More than half of homeless people have a history of mental illness, and the burden of drug and alcohol use is substantial.^{8,9} Clinically significant dental problems have been identified in two thirds of homeless individuals,⁸ and nearly 40% have functional vision impairments.¹⁶

Homeless people also experience poor access to health care,^{17–21} leading to delayed clinical presentation,¹² increased reliance on emergency departments,²² and higher rates of hospitalization,²³ often for preventable conditions.²⁴ Yet, the extent to which homeless adults are able to obtain health care across the spectrum of health needs just described is largely unknown. Existing knowledge is based primarily on studies of single cities^{25,26} or single types of unmet need^{21,27}; very few national surveys have adequately captured this difficult-to-reach population.

We used data from a unique national survey of homeless adults to determine the prevalence and predictors of unmet need for 5 types of health services, chosen to reflect multiple domains of health care access.²⁸ A comprehensive assessment of the unmet health care needs of homeless people can inform policy and practice decisions about how to better provide care to this vulnerable population.

METHODS

We conducted a secondary analysis of the 2003 Health Care for the Homeless (HCH) User Survey, the first nationally representative survey of individuals using clinical services provided by the federally funded HCH program. The HCH program serves more than 700 000 people annually through 205 grantees in all 50 states, the District of

Objectives. We assessed the prevalence and predictors of past-year unmet needs for 5 types of health care services in a national sample of homeless adults.

Methods. We analyzed data from 966 adult respondents to the 2003 Health Care for the Homeless User Survey, a sample representing more than 436 000 individuals nationally. Using multivariable logistic regression, we determined the independent predictors of each type of unmet need.

Results. Seventy-three percent of the respondents reported at least one unmet health need, including an inability to obtain needed medical or surgical care (32%), prescription medications (36%), mental health care (21%), eyeglasses (41%), and dental care (41%). In multivariable analyses, significant predictors of unmet needs included food insufficiency, out-of-home placement as a minor, vision impairment, and lack of health insurance. Individuals who had been employed in the past year were more likely than those who had not to be uninsured and to have unmet needs for medical care and prescription medications.

Conclusions. This national sample of homeless adults reported substantial unmet needs for multiple types of health care. Expansion of health insurance may improve health care access for homeless adults, but addressing the unique challenges inherent to homelessness will also be required. (*Am J Public Health.* 2010;100:1326–1333. doi:10.2105/AJPH.2009.180109)

Columbia, and Puerto Rico.²⁹ The HCH User Survey was administered by Research Triangle Institute (RTI) International in collaboration with the Health Resources and Services Administration's Bureau of Primary Health Care.

Participants and Setting

A 3-stage sampling design was used to conduct the survey.³⁰ A geographically stratified probability-proportional-to-size (PPS) technique was used to sample 30 HCH grantees. Interviews were conducted in person by RTI field staff at a PPS sample of 79 clinic sites that were operated by the 30 grantees. The target population consisted of individuals receiving face-to-face services from an HCH provider. Individuals were eligible if they had received such services at least once in the year prior to the survey, given that the reference period for many of the questions was 12 months. Participants were selected consecutively with a goal of 33 interviews per grantee.

Of 1444 selected individuals, 11 were subsequently found to be ineligible, and 416

refused or did not complete the survey. The total number of completed interviews was 1017, yielding a response rate of 70%. We confined our analysis to the 966 respondents who were aged 18 years or older.

Conceptual Framework

The behavioral model for vulnerable populations was the conceptual framework for our analysis.¹⁶ In this framework, realized access to health care can be viewed as a function of predisposing, enabling, and need factors. Predisposing factors are characteristics that influence a person's propensity for seeking health care services. Enabling factors are those that facilitate or impede health care access and use. Need factors are health conditions for which a person is likely to require care.

Outcomes

Our study outcomes were 5 past-year measures of unrealized access to health care, framed as having an unmet need for the following services: medical or surgical care,

prescription medications, mental health care or counseling, eyeglasses, and dental care. These measures were all assessed in similar ways, with questions generally phrased as follows: “During the past 12 months, was there a time when you wanted medical care or surgery but could not get it at that time?” Unmet needs represent important measures of health care access and are frequently used as outcome variables in health services research.^{25–28,31–40}

Predisposing Factors

Predisposing variables included age (18–29 years, 30–44 years, 45 years or older), gender, self-reported race/ethnicity (categorized as White, non-Hispanic; Black, non-Hispanic; and Hispanic/other), marital status (married/partnered vs not married/partnered), educational attainment (high school diploma or higher vs less than high school), out-of-home placement as a minor (foster home, group home, or other institutional placement before 18 years of age), veteran status, number of homeless episodes at least 30 days in duration (dichotomized at the median, 0–1 vs 2 or more), past-year victimization (physical or sexual assault while homeless), and past-year problem alcohol use or illicit drug use.

Past-year problem alcohol use was defined as consuming 5 or more drinks on a single occasion in the preceding month,⁴¹ consuming 3 or more drinks on a typical day of drinking in the preceding month,⁴² or any past-year alcohol treatment. Past-year drug use was defined as any past-year use of illicit or nonprescribed controlled substances or any past-year drug treatment.

Enabling Factors

Enabling variables included usual source of care, insurance status, past-year employment, and food insufficiency. We defined a usual source of care as any single “place that you usually go when you are sick or you need advice about your health.” Adults reporting no usual care source, multiple sources without a single predominant source, or an emergency department as a usual care source were classified as lacking a usual source of care. Types of insurance coverage were categorized as public, private, military/veterans, and other; insurance status was dichotomized as insured or uninsured in the multivariable analyses.

Past-year employment was defined as any work for pay in the preceding year. We considered this variable in the enabling domain because employment demands may not allow for medical visits. Food insufficiency was defined as “sometimes” or “often” not getting enough food to eat.^{43–48}

Need Factors

Need variables consisted of the number of self-reported medical comorbidities (0, 1, 2 or more), including hypertension, diabetes, cardiovascular disease (coronary artery disease or stroke), obstructive lung disease (asthma or chronic obstructive pulmonary disease), HIV infection, cancer, liver disease, kidney disease, and arthritis or chronic joint pain.

Consistent with the behavioral model, mental illness was considered a need factor in predicting mental health care access and a predisposing variable with respect to all other components of unmet need.¹⁶ Mental illness history was defined as any past inpatient or outpatient treatment of “emotional or mental problems.”

We considered self-reported vision impairment as a need factor in the model examining receipt of eyeglasses and as an enabling factor in all other models given the potential impact of impaired vision on mobility, navigating health systems, and collecting health information.^{49,50} Adults who reported trouble seeing, even while wearing glasses or contact lenses, were classified as having vision impairment. Past-year tooth or gum problem was analyzed as a need factor in the dental care model only.

Statistical Analysis

We used the χ^2 test to determine the unadjusted relationships between predictor and outcome variables. We then constructed 5 multivariable logistic regression models to determine the factors independently associated with each outcome measure of unmet need among all adults. Multivariable model covariates were chosen on the basis of clinical context and hypotheses generated from the behavioral model for vulnerable populations. Participants with missing data for a model variable were excluded from any analysis involving that variable. Item nonresponse was generally minimal (range=0%–3.6%; median=0.6%).

Because individuals with medical comorbidities may be at higher risk of needing

medical care or prescription medications and experiencing complications when such needs are unmet, we conducted subgroup analyses among those with at least one medical condition, adjusted for the same set of confounders used in the original models. Similarly, we analyzed the outcome of unmet mental health care need for the entire study sample as well as for a composite subgroup of those with any history of mental illness, past-year illicit drug or problem alcohol use, or past-year victimization, given that such individuals may be more likely to require this service.^{51,52}

In addition, we explored the correlates of lack of health insurance coverage because insurance has been shown to be an important determinant of access to care among homeless people.^{21,53–55} Because employer-based health insurance remains the primary mode of coverage in the United States,⁵⁶ we examined the insurance patterns of respondents with any past-year employment to determine whether those engaging in work received health insurance benefits for doing so.

As a result of the complex sampling design of the survey, all analyses were performed on SAS-Callable SUDAAN version 10.0 (RTI, Research Triangle Park, NC). We used weights developed by RTI that incorporated sampling probability, survey nonresponse, and poststratification adjustment to reduce bias in the study estimates and better reflect the target population. Descriptive data are presented as unweighted numbers and weighted percentages. Results were considered significant at $P < .05$.

RESULTS

The characteristics of the 966 adult respondents to the HCH User Survey are shown in Table 1. The study sample was representative of more than 436 000 adult HCH clinic users nationally.

Predisposing, Enabling, and Need Factors

Fifty-eight percent of the respondents were male (Table 1). The median age of the sample was 41 years. Most participants were White (39%) or Black (38%) non-Hispanics. Nearly one fourth had a history of out-of-home

TABLE 1—Characteristics of the Study Sample (n = 966): Health Care for the Homeless User Survey, 2003

	No. (Weighted %) ^a
Predisposing factors	
Age, y	
18-29	113 (18.3)
30-44	395 (50.3)
≥45	458 (31.5)
Male	591 (58.2)
Race/ethnicity	
White, non-Hispanic	334 (39.2)
Black, non-Hispanic	382 (38.1)
Hispanic/other	238 (21.4)
Veteran	119 (11.5)
Married/partnered	127 (14.3)
High school diploma or higher	580 (58.7)
Out-of-home placement as a minor ^b	204 (23.8)
No. of homeless episodes 30 d or more in duration	
0-1	447 (43.2)
≥2	498 (55.3)
Physical or sexual assault in past year	176 (20.1)
Substance abuse in past year	
Illicit drug use only	240 (25.1)
Problem alcohol use only	105 (9.0)
Both drug and alcohol use	276 (30.7)
Mental illness history	429 (47.6)
Enabling factors	
No usual source of care	63 (8.3)
Health insurance coverage ^c	
No health insurance	536 (59.5)
Public insurance	366 (34.3)
Private insurance	51 (4.7)
Military/veterans insurance	16 (1.2)
Other insurance	15 (1.8)
Employment in past year	485 (54.5)
Food insufficiency ^d	235 (25.4)
Vision impairment	302 (26.2)
Need factors	
No. of medical comorbidities ^e	
0	210 (22.2)
1	276 (31.2)
≥2	471 (45.9)
Dental problem in past year	332 (31.1)

^aPresented as unweighted numbers and weighted percentages, via sampling weights provided by Research Triangle Institute International. Percentages may not sum to 100 as a result of rounding or item nonresponse.

^bDefined as placement into foster care, a group home, or an institution before the age of 18 years.

^cPercentage total exceeds 100 because respondents were allowed to specify more than 1 type of health insurance coverage.

^dDefined as "sometimes" or "often" not getting enough food to eat.

^eMedical comorbidities included hypertension, diabetes, cardiovascular disease (coronary artery disease or stroke), obstructive lung disease (asthma or chronic obstructive pulmonary disease), HIV infection, cancer, kidney disease, liver disease, and arthritis or chronic joint problems.

placement as a minor. One fifth reported past-year victimization while homeless.

Sixty percent of the respondents were uninsured. More than half reported any past-year employment. One fourth of the respondents had experienced food insufficiency.


Forty-six percent of the participants reported 2 or more medical conditions. Almost half (48%) reported a history of treatment of mental illness. Twenty-six percent reported difficulty seeing, and more than 30% reported a past-year dental problem.

Unmet Health Care Needs

Overall, 32% (n=284) of the respondents reported an unmet need for medical or surgical care in the preceding year, 36% (n=335) reported an unmet need for prescription medications, 21% (n=219) reported an unmet need for mental health care or counseling, 41% (n=375) reported an unmet need for eyeglasses, and 41% (n=378) reported an unmet need for dental care (Figure 1). Seventy-three percent (n=685) reported at least 1 past-year unmet health care need, and 49% (n=457) reported 2 or more unmet needs. The most frequently cited reasons for each type of unmet need were inability to afford care and lack of health insurance coverage.

Medical or surgical care. Fifty-one percent of adults with a childhood history of out-of-home placement reported an unmet need for medical or surgical care, as compared with 26% of those without such a history ($P<.001$). Forty-six percent of respondents experiencing food insufficiency had an unmet need for care, whereas 27% without food insufficiency had such difficulty ($P=.001$). Any past-year employment ($P=.001$) and lack of insurance coverage ($P=.01$) were also significantly associated with this outcome in unadjusted analyses. Among those with one or more medical comorbidities, 36% had an unmet need for care. In the multivariable analysis, factors independently associated with having an unmet need for medical or surgical care in the preceding year included out-of-home placement as a minor, past-year employment, food insufficiency, lack of health insurance coverage, and presence of any medical comorbidities (Table 2).

Prescription medications. In the multivariable analysis, factors independently associated with



Note. Percentages were weighted with sampling weights provided by Research Triangle Institute International. Tick marks indicate the bounds of 1 standard error.

FIGURE 1—Prevalence of past-year unmet health care needs among homeless US adults (n=966): Health Care for the Homeless User Survey, 2003.

an unmet need for prescription medications included age, out-of-home placement as a minor, past-year victimization, past-year employment, food insufficiency, lack of health insurance coverage, and presence of 2 or more medical comorbidities (Table 2).

Mental health care. In the multivariable analysis, factors independently associated with an unmet need for mental health care included past-year victimization, food insufficiency, lack of a usual source of care, lack of health insurance coverage, mental illness history, and vision impairment (Table 2).

High-risk subgroup analyses. The overall pattern of results was unchanged when we confined the analyses of unmet need for medical or surgical care and prescription medications to those with at least one medical comorbidity (n=754; see the table available as an online supplement to this article at <http://www.ajph.org>). Out-of-home placement as a minor, past-year employment, food insufficiency, and lack of health insurance coverage remained important predictors of both outcomes. In the composite subgroup of individuals with a history of mental illness, past-year substance abuse, or past-year victimization (n=756), the predictors of unmet need for mental health care were very similar to those seen for the entire sample (see the table available as an online supplement to this article).

Eyeglasses and dental care. Unadjusted rates of unmet need for eyeglasses were higher

among adults with a history of mental illness ($P<.001$), out-of-home placement as a minor ($P=.04$), or any past-year employment ($P=.03$). Among those with symptoms of vision impairment, 56% reported an unmet need for eyeglasses. Sixty percent of those with a past-year dental problem reported an unmet need for dental care.

In the multivariable models, lack of health insurance coverage was associated with an unmet need for eyeglasses (Table 2). Vision impairment predicted unmet needs for both eyeglasses and dental care.

Insurance patterns of workers. Adults with any past-year employment were significantly more likely to be uninsured than those who had not been employed (68% vs 49%; $P<.001$). In the multivariable analysis adjusted for all of the confounders previously discussed, any past-year employment was a significant independent predictor of lack of insurance coverage (adjusted odds ratio=2.05; 95% confidence interval=1.43, 2.94), and increasing duration of past-year employment was associated with increasing odds of lack of insurance coverage (Table 3). Respondents who had worked more than half of the preceding year were significantly less likely than were those who had not worked to have any type of public insurance (20% vs 43%; $P=.02$) and trended toward having lower rates of private insurance (2.8% vs 6.6%; $P=.14$); only 0.5% of these workers

had employer-based health insurance, and 75% were uninsured.

DISCUSSION

This national sample of homeless adults reported substantial barriers to accessing multiple dimensions of health care. Nearly three quarters of the respondents had at least 1 past-year unmet health care need, and almost half had 2 or more unmet needs. Rates of unmet needs for specific services were 6 to 10 times higher than in the US general population.^{39,57} Our findings appear similar to prior estimates of unmet health need among homeless populations,^{21,25–27} although direct comparisons are limited by varying methodologies in terms of definitions and measurement of unmet need. Our findings may represent conservative estimates of the unmet health needs of homeless people, given that all participants had been seen in a clinic at least once in the preceding year.

The majority of respondents were uninsured, and this factor was independently associated with unmet needs for medical or surgical care, prescription medications, mental health care, and eyeglasses, but not dental care. This pattern of findings reflects the Medicaid coverage profile for adults in most states^{58,59} and reinforces prior evidence that health insurance is a key determinant of access to care among both homeless^{21,53–55} and housed^{32,60–62} individuals.

Competing priorities represented substantial barriers to care as well. Food insufficiency was associated with impaired access to medical or surgical care, prescription medications, and mental health care. Although prior research has linked food insufficiency with higher rates of medical and mental illness,⁴⁶ our multivariable analyses demonstrated significant relationships with unmet needs that were independent of these comorbidities. Individuals experiencing food insufficiency may assign lower priority to health care in favor of directing personal resources toward the fulfillment of basic needs.^{20,63,64}

We also found that past-year employment was associated with unmet needs for medical or surgical care and prescription medications. This result confirms the clinical observation that when employment is the sole source of income in the setting of poverty, patients often prioritize work over health care. Because work

TABLE 2—Factors Associated With Past-Year Unmet Need for Medical or Surgical Care, Prescription Medications, Mental Health Care, Eyeglasses, and Dental Care Among Homeless US Adults: Health Care for the Homeless User Survey, 2003

	Unmet Need for Medical or Surgical Care, AOR (95% CI) ^a	Unmet Need for Prescription Medications, AOR (95% CI) ^a	Unmet Need for Mental Health Care, AOR (95% CI) ^a	Unmet Need for Eyeglasses, AOR (95% CI) ^a	Unmet Need for Dental Care, AOR (95% CI) ^a
Predisposing factors					
Age, y					
18–29 (Ref)	1.00	1.00	1.00	1.00	1.00
30–44	1.04 (0.42, 2.57)	2.71* (1.20, 6.13)	1.61 (0.47, 5.53)	0.94 (0.51, 1.73)	1.21 (0.38, 3.87)
≥ 45	1.20 (0.58, 2.52)	2.80* (1.47, 5.34)	1.11 (0.38, 3.21)	1.66 (0.97, 2.84)	0.96 (0.34, 2.70)
Male	0.91 (0.34, 2.42)	0.86 (0.36, 2.03)	0.57 (0.32, 1.02)	0.60 (0.35, 1.03)	0.72 (0.47, 1.09)
Race/ethnicity					
White, non-Hispanic (Ref)	1.00	1.00	1.00	1.00	1.00
Black, non-Hispanic	0.90 (0.60, 1.35)	0.52 (0.25, 1.09)	1.28 (0.75, 2.20)	0.80 (0.45, 1.44)	1.38 (0.81, 2.34)
Hispanic/other	1.00 (0.47, 2.13)	0.61 (0.29, 1.30)	2.03* (1.17, 3.51)	0.63 (0.29, 1.36)	1.63 (0.77, 3.45)
Veteran	1.76* (1.14, 2.70)	0.74 (0.29, 1.85)	0.71 (0.22, 2.33)	2.00 (0.90, 4.44)	1.42 (0.85, 2.38)
Married/partnered	0.83 (0.43, 1.60)	0.78 (0.41, 1.48)	0.08* (0.02, 0.28)	1.13 (0.51, 2.47)	0.98 (0.49, 1.97)
High school diploma or higher	1.07 (0.52, 2.18)	1.06 (0.47, 2.40)	1.25 (0.59, 2.65)	0.58* (0.35, 0.95)	1.05 (0.62, 1.76)
Out-of-home placement as minor ^b	2.52* (1.80, 3.52)	1.71* (1.08, 2.73)	1.44 (0.77, 2.68)	1.10 (0.63, 1.91)	0.90 (0.54, 1.50)
Two or more homeless episodes at least 30 d in duration	0.92 (0.65, 1.29)	0.85 (0.49, 1.47)	0.95 (0.49, 1.83)	1.17 (0.70, 1.95)	1.26 (0.72, 2.20)
Physical/sexual assault in past year	0.91 (0.49, 1.67)	2.26* (1.44, 3.55)	1.97* (1.13, 3.42)	1.22 (0.78, 1.93)	0.77 (0.38, 1.54)
Substance abuse in past year	0.96 (0.40, 2.31)	1.06 (0.56, 2.01)	1.10 (0.68, 1.77)	1.26 (0.82, 1.96)	1.36 (0.76, 2.43)
Mental illness history	1.18 (0.51, 2.76)	1.79 (0.91, 3.51)	2.58* (1.27, 5.23)	1.83* (1.14, 2.93)	1.04 (0.53, 2.04)
Enabling factors					
No usual source of care	1.72 (0.98, 3.04)	2.16 (0.79, 5.88)	3.36* (1.92, 5.89)	0.89 (0.38, 2.07)	1.17 (0.47, 2.92)
Uninsured	1.75* (1.14, 2.69)	1.94* (1.26, 3.00)	2.03* (1.08, 3.82)	1.72* (1.10, 2.67)	1.08 (0.58, 1.99)
Employment in past year	1.70* (1.22, 2.37)	1.60* (1.09, 2.35)	0.84 (0.45, 1.57)	1.48 (0.87, 2.52)	1.22 (0.75, 2.00)
Food insufficiency ^c	2.06* (1.19, 3.57)	1.61* (1.04, 2.50)	1.55* (1.02, 2.38)	1.11 (0.58, 2.13)	1.06 (0.65, 1.72)
Vision impairment	1.11 (0.59, 2.09)	1.48 (0.86, 2.56)	2.17* (1.17, 4.01)	1.88* (1.16, 3.04)	1.81* (1.25, 2.63)
Need factors					
No. of medical comorbidities ^d					
0 (Ref)	1.00	1.00	1.00	1.00	1.00
1	2.22* (1.08, 4.52)	1.46 (0.88, 2.44)	1.57 (0.70, 3.56)	1.47 (0.93, 2.32)	1.07 (0.63, 1.83)
≥ 2	3.44* (1.61, 7.36)	2.82* (1.39, 5.73)	1.85 (0.61, 5.57)	1.63 (0.89, 2.97)	1.20 (0.57, 2.54)
Dental problem in past year	2.97* (1.89, 4.67)

Note. AOR = adjusted odds ratio; CI = confidence interval. Ellipses indicate that the factor was not applicable for that need.

^aAdjusted for all of the variables presented, via multivariable logistic regression.

^bDefined as placement into foster care, a group home, or an institution before the age of 18 years.

^cDefined as “sometimes” or “often” not getting enough food to eat.

^dMedical comorbidities included hypertension, diabetes, cardiovascular disease (coronary artery disease or stroke), obstructive lung disease (asthma or chronic obstructive pulmonary disease), HIV infection, cancer, kidney disease, liver disease, and arthritis or past-year chronic joint problems.

**P* < .05.

engaged in by homeless individuals is often day labor or is intermittent in nature,⁹ the hours may be unpredictable and the consequences for absence (i.e., termination or replacement) unacceptable. Furthermore, health insurance benefits are often not included with these low-wage jobs.^{65–67} The 68% uninsured rate among past-year workers in our study was more than 3

times higher than was that for workers in the general population.⁶⁸ Those with any past-year employment were much more likely than were their unemployed counterparts to be uninsured, and the odds of lacking insurance increased with the duration of employment.

Rates of public insurance coverage were significantly lower among respondents with

more extensive work histories than among nonworkers, probably reflecting a lesser degree of disability. This finding was not counterbalanced by higher rates of private insurance, and very few of these workers had employer-based coverage. Homeless workers may fall in a gap in which they do not qualify for publicly sponsored health benefits yet are unable to

TABLE 3—Adjusted odds ratios (AORs) for lack of health insurance coverage, by extent of past-year employment: 2003 Health Care for the Homeless User Survey.

	AOR (95% CI)
Duration of employment in the past year	
No employment (Ref)	1.00
1–3 mo	1.66 (1.01, 2.72)
4–6 mo	2.15 (1.26, 3.68)
≥7 mo	2.70 (1.37, 5.32)

Note. CI = confidence interval. Odds ratios were adjusted, via multivariable logistic regression, for age, gender, race/ethnicity, veteran status, marital status, education, out-of-home placement as a minor, number of homeless episodes, past-year victimization, past-year substance abuse, history of mental illness, usual source of care, food insufficiency, vision impairment, and medical comorbidities.

afford private health insurance if employer-based coverage is not provided.

Out-of-home placement as a minor conferred higher odds of having an unmet need for medical or surgical care and prescription medications in this study of homeless adults. Rates of homelessness, unemployment, mental illness, substance abuse, victimization, and lack of health insurance coverage are high among individuals with a history of foster care^{69–75}; our findings remained significant even after adjustment for these confounders. The experience of out-of-home placement may be associated with several other risk factors for poor health and access to care, including adverse childhood experiences, high rates of incarceration, civic nonengagement, and poor life skill preparation, resulting in difficult community transitions.⁷¹ Although federal funding for transitional assistance increased under the 1999 Foster Care Independence Act (HR 3443), evidence suggests that only 60% of eligible foster youths receive such services.⁷⁶

Vision impairment was independently related to unmet needs for mental health care, eyeglasses, and dental care. Although the relationship with poor access to eyeglasses is probably explained in part by greater need for such services, we hypothesize that impaired

vision also affects one's ability to navigate health systems and acquire health information.^{49,50} This impairment may impose a greater barrier to accessing more ancillary services such as mental health care, vision care, and dental care, which often entail unique referral systems and less familiar facilities.

Limitations

Our study involved certain limitations. The data analyzed were cross sectional in nature, so causality cannot be definitively determined. All measures were self-reported and may be subject to multiple biases, particularly with respect to sensitive issues and stigmatized behaviors. We defined mental illness as having ever received treatment for emotional or mental problems, a definition similar to that used in other studies of homeless people.^{22,77} To the extent that this definition identifies individuals who have previously accessed mental health care, the unmet need results for this variable may be biased toward the null and therefore represent a conservative estimate of effect. The survey was conducted among individuals with at least 1 prior visit to an HCH clinic site, so the findings may not be generalizable to the homeless population as a whole, particularly those who do not use HCH services.

In addition, our outcome measure of unmet need was based on a question format with some limitations. Although widely used, the question format of needing but being unable to obtain a given type of service is double barreled. Those with greater need for care are at increased risk of responding affirmatively to the question as compared with those with less or no perceived need. We addressed this limitation in 2 ways. First, we adjusted for need factors in our modeling strategy to ensure that significant predictors were not simply surrogate markers of increased need. Second, we performed subgroup analyses limited to those at high risk for requiring medical care, prescription medications, and mental health care and found that the results were very similar. Finally, because the study outcomes were relatively common (occurring among more than 10% of the respondents in each case), the adjusted odds ratios provide valid but potentially exaggerated measures of association in comparison with risk ratios, and the magnitude of findings should be interpreted accordingly.

Despite these limitations, this is the first national study of which we are aware to describe the multiple dimensions of unmet need for health care among homeless persons. Our findings reinforce prior research on the importance of health insurance in homeless populations, add to the growing literature on food insufficiency in a novel way, extend the principle of competing priorities to include employment, expand understanding of the sequelae of childhood out-of-home placement in homeless adults, and describe the contribution of low vision to poor health care access in the setting of homelessness.

Conclusions

We found high rates of unmet need for health care services in this national study of homeless adult clinic users. Unmet needs were most consistently related to being uninsured, but other factors appeared important as well, including out-of-home placement as a minor, food insufficiency, employment, and vision impairment. As currently structured, employer-based health insurance fails to reach the majority of homeless individuals who work, highlighting the need for an alternative source of affordable health coverage. Given the deficit of emergency food supplies,⁷⁸ provision of adequate food services to the poor should continue to be a public health priority. In addressing the root causes of homelessness, the child welfare system provides an important safety net for at-risk youth, but further attention to life skill preparation and community transition may be required to ensure better outcomes in this population.

From a practice perspective, health services compatible with work schedules and delivered in a flexible format will be required to best serve homeless people who rely on employment as a source of income. Finally, in moving toward a more comprehensive model of health care for homeless individuals, incorporating vision screening and services may alleviate the burden of this impairment, enhance functionality, and improve access to other dimensions of care. ■

About the Authors

Travis P. Baggett, Daniel E. Singer, and Nancy A. Rigotti are with the General Medicine Division, Massachusetts General Hospital, Boston, and the Department of Medicine, Harvard Medical School, Boston. James J. O'Connell is

with the Boston Health Care for the Homeless Program, Boston, and the General Medicine Division, Massachusetts General Hospital, Boston.

Correspondence should be sent to Travis P. Baggett, MD, Massachusetts General Hospital, 50 Staniford St, 9th Floor, Boston, MA 02114 (e-mail: tbaggett@partners.org). Reprints can be ordered at <http://www.ajph.org> by clicking on the "Reprints/Eprints" link.

This article was accepted October 28, 2009.

Contributors

T.P. Baggett participated in the study origination and design, analysis and interpretation of data, drafting and revision of the article, and approval of the final version. J.J. O'Connell participated in the study origination and design, revision of the article, and approval of the final version. D.E. Singer participated in the analysis and interpretation of data, revision of the article, and approval of the final version. N.A. Rigotti participated in the study origination and design, analysis and interpretation of data, revision of the article, and approval of the final version.

Acknowledgments

This study was funded by a grant from the Health Resources and Services Administration of the Department of Health and Human Services (T32HP10251) to support the Harvard Medical School Fellowship in General Medicine and Primary Care.

A preliminary summary of these findings was presented as a scientific abstract at the 32nd Annual Meeting (May 13-16, 2009, Miami Beach, FL) of the Society of General Internal Medicine.

We thank Sowmya Rao from the Massachusetts General Hospital Biostatistics Center for her assistance in analyzing the data. She received financial compensation for her assistance. We thank John Ayanian from the Harvard Medical School Department of Health Care Policy for his input on the study design and analytic approach and Meridale Vaught Baggett from the General Medicine Division at Massachusetts General Hospital for her many thoughtful reviews of the article.

In addition, we thank Charles Daly and colleagues at the Health Resources and Services Administration's Bureau of Primary Health Care for their assistance in accessing the 2003 Health Care for the Homeless User Survey data. We also thank Jody Greene from Research Triangle Institute International for her assistance in accessing the survey data and for providing supporting technical documents regarding the survey design.

Note. The Health Resources and Services Administration sponsored and assisted in designing the 2003 Health Care for the Homeless User Survey but had no role in the design and conduct of this study or in the collection, management, analysis, or interpretation of the data presented. The Health Resources and Services Administration reviewed a final draft of this article but was not involved in the article preparation or revision process; the authors alone exercised final judgment in determining the form and content of the article. The views expressed in this article are the opinions of the authors and do not necessarily reflect the official policies of the US Department of Health and Human Services or the Health Resources and Services Administration, nor does mention of either department or agency imply endorsement by the US government. This article does not represent the views or work of any individuals we have thanked for their assistance nor their respective institutions.

Human Participant Protection

No protocol approval was needed for this study.

References

- Burt MR, Aron LY, Lee E, Valente J. How many homeless people are there? In: *Helping America's Homeless: Emergency Shelter or Affordable Housing?* Washington, DC: Urban Institute; 2001:23-54.
- Hibbs JR, Benner L, Klugman L, et al. Mortality in a cohort of homeless adults in Philadelphia. *N Engl J Med*. 1994;331(5):304-309.
- Hwang SW, Orav EJ, O'Connell JJ, Lebow JM, Brennan TA. Causes of death in homeless adults in Boston. *Ann Intern Med*. 1997;126(8):625-628.
- Barrow SM, Herman DB, Cordova P, Struening EL. Mortality among homeless shelter residents in New York City. *Am J Public Health*. 1999;89(4):529-534.
- Hwang SW. Mortality among men using homeless shelters in Toronto, Ontario. *JAMA*. 2000;283(16):2152-2157.
- Cheung AM, Hwang SW. Risk of death among homeless women: a cohort study and review of the literature. *CMAJ*. 2004;170(8):1243-1247.
- Morrison DS. Homelessness as an independent risk factor for mortality: results from a retrospective cohort study. *Int J Epidemiol*. 2009;38(3):877-883.
- Breakey WR, Fischer PJ, Kramer M, et al. Health and mental health problems of homeless men and women in Baltimore. *JAMA*. 1989;262(10):1352-1357.
- Burt MR. *Homelessness: Programs and the People They Serve: Findings of the National Survey of Homeless Assistance Providers and Clients: Technical Report*. Washington, DC: US Dept of Housing and Urban Development, Office of Policy Development and Research; 1999.
- Ferenchick GS. The medical problems of homeless clinic patients: a comparative study. *J Gen Intern Med*. 1992;7(3):294-297.
- Gelberg L, Linn LS. Assessing the physical health of homeless adults. *JAMA*. 1989;262(14):1973-1979.
- Gelberg L, Linn LS, Usatine RP, Smith MH. Health, homelessness, and poverty: a study of clinic users. *Arch Intern Med*. 1990;150(11):2325-2330.
- Weinreb L, Goldberg R, Perloff J. Health characteristics and medical service use patterns of sheltered homeless and low-income housed mothers. *J Gen Intern Med*. 1998;13(6):389-397.
- Wright JD. The health of homeless people: evidence from the National Health Care for the Homeless Program. In: Brickner PW, Scharer LK, Conanan B, Savarese M, Scanlan BC, eds. *Under the Safety Net: The Health and Social Welfare of the Homeless in the United States*. New York, NY: WW Norton; 1990:15-31.
- Zlotnick C, Zerger S. Survey findings on characteristics and health status of clients treated by the federally funded (US) Health Care for the Homeless Programs. *Health Soc Care Community*. 2009;17(1):18-26.
- Gelberg L, Andersen RM, Leake BD. The behavioral model for vulnerable populations: application to medical care use and outcomes for homeless people. *Health Serv Res*. 2000;34(6):1273-1302.
- Stark LR. Barriers to health care for homeless people. In: Jahiel RI, ed. *Homelessness: A Prevention-Oriented Approach*. Baltimore, MD: Johns Hopkins University Press; 1992:151-164.
- Robertson MJ, Cousineau MR. Health status and access to health services among the urban homeless. *Am J Public Health*. 1986;76(5):561-563.
- Wood D, Valdez RB. Barriers to medical care for homeless families compared with housed poor families. *Am J Dis Child*. 1991;145(10):1109-1115.
- Gallagher TC, Andersen RM, Koegel P, Gelberg L. Determinants of regular source of care among homeless adults in Los Angeles. *Med Care*. 1997;35(8):814-830.
- Kushel MB, Vittinghoff E, Haas JS. Factors associated with the health care utilization of homeless persons. *JAMA*. 2001;285(2):200-206.
- Kushel MB, Perry S, Bangsberg D, Clark R, Moss AR. Emergency department use among the homeless and marginally housed: results from a community-based study. *Am J Public Health*. 2002;92(5):778-784.
- Martell JV, Seitz RS, Harada JK, Kobayashi J, Sasaki VK, Wong C. Hospitalization in an urban homeless population: the Honolulu Urban Homeless Project. *Ann Intern Med*. 1992;116(4):299-303.
- Salit SA, Kuhn EM, Hartz AJ, Vu JM, Mosso AL. Hospitalization costs associated with homelessness in New York City. *N Engl J Med*. 1998;338(24):1734-1740.
- Lewis JH, Andersen RM, Gelberg L. Health care for homeless women. *J Gen Intern Med*. 2003;18(11):921-928.
- Kertesz SG, Hwang SW, Irwin J, Ritchey FJ, Lagory ME. Rising inability to obtain needed health care among homeless persons in Birmingham, Alabama (1995-2005). *J Gen Intern Med*. 2009;24(7):841-847.
- Desai MM, Rosenheck RA. Unmet need for medical care among homeless adults with serious mental illness. *Gen Hosp Psychiatry*. 2005;27(6):418-425.
- Berk ML, Schur CL, Cantor JC. Ability to obtain health care: recent estimates from the Robert Wood Johnson Foundation National Access to Care Survey. *Health Aff (Millwood)*. 1995;14(3):139-146.
- Bureau of Primary Health Care Section 330 Grantees Uniform Data System (UDS), Calendar Year 2007 Data: *Health Care for the Homeless Rollup Report*. Washington, DC: US Dept of Health and Human Services; 2008.
- Greene J, Fahrney K, Byron M. *Health Care for the Homeless User/Visit Surveys*. Research Triangle Park, NC: RTI International; 2004.
- Newacheck PW, Hughes DC, Hung YY, Wong S, Stoddard JJ. The unmet health needs of America's children. *Pediatrics*. 2000;105(4):989-997.
- Ayanian JZ, Weissman JS, Schneider EC, Ginsburg JA, Zaslavsky AM. Unmet health needs of uninsured adults in the United States. *JAMA*. 2000;284(16):2061-2069.
- Chen J, Hou F. Unmet needs for health care. *Health Rep*. 2002;13(2):23-34.
- Shi L, Stevens GD. Vulnerability and unmet health care needs: the influence of multiple risk factors. *J Gen Intern Med*. 2005;20(2):148-154.
- Andersen RM, McCutcheon A, Aday LA, Chiu GY, Bell R. Exploring dimensions of access to medical care. *Health Serv Res*. 1983;18(1):49-74.

36. Himmelstein DU, Woolhandler S. Care denied: US residents who are unable to obtain needed medical services. *Am J Public Health*. 1995;85(3):341–344.
37. Sanmartin C, Berthelot J-M, Ng E, et al. Comparing health and health care use in Canada and the United States. *Health Aff (Millwood)*. 2006;25(4):1133–1142.
38. Diamant AL, Hays RD, Morales LS, et al. Delays and unmet need for health care among adult primary care patients in a restructured urban public health system. *Am J Public Health*. 2004;94(5):783–789.
39. Strunk BC, Cunningham PJ. *Trends in Americans' Access to Needed Medical Care, 2001–2003*. Washington, DC: Center for Studying Health System Change; 2004.
40. Cunningham PJ, Hadley J. Differences between symptom-specific and general survey questions of unmet need in measuring insurance and racial/ethnic disparities in access to care. *Med Care*. 2007;45(9):842–850.
41. NIAAA Council approves definition of binge drinking. *NIAAA Newsletter*. Winter 2004:3
42. Babor TF, Higgins-Biddle JC, Saunders JB, Monteiro MG. *The Alcohol Use Disorders Test: Guidelines for Use in Primary Care*. 2nd ed. Geneva, Switzerland: World Health Organization; 2001.
43. Alaimo K, Briefel RR, Frongillo EA Jr, Olson CM. Food insufficiency exists in the United States: results from the Third National Health and Nutrition Examination Survey (NHANES III). *Am J Public Health*. 1998;88(3):419–426.
44. Alaimo K, Olson CM, Frongillo EA Jr, Briefel RR. Food insufficiency, family income, and health in US preschool and school-aged children. *Am J Public Health*. 2001;91(5):781–786.
45. Rose D, Oliveira V. Nutrient intakes of individuals from food-insufficient households in the United States. *Am J Public Health*. 1997;87(12):1956–1961.
46. Vozoris NT, Tarasuk VS. Household food insufficiency is associated with poorer health. *J Nutr*. 2003;133(1):120–126.
47. Briefel RR, Woteki CE. Development of food sufficiency questions for the Third National Health and Nutrition Examination Survey. *J Nutr Educ*. 1992;24(suppl 1):24S–28S.
48. Cristofar SP, Basiotis PP. Dietary intake and selected characteristics of women age 19–50 years and their children age 1–5 years by reported perception of food sufficiency. *J Nutr Educ*. 1992;24(1):53–58.
49. Iezzoni LI, Davis RB, Soukup J, O'Day B. Satisfaction with quality and access to health care among people with disabling conditions. *Int J Qual Health Care*. 2002;14(5):369–381.
50. O'Day BL, Killeen M, Iezzoni LI. Improving health care experiences of persons who are blind or have low vision: suggestions from focus groups. *Am J Med Qual*. 2004;19(5):193–200.
51. Conway KP, Compton W, Stinson FS, Grant BF. Lifetime comorbidity of DSM-IV mood and anxiety disorders and specific drug use disorders: results from the National Epidemiologic Survey on Alcohol and Related Conditions. *J Clin Psychiatry*. 2006;67(2):247–257.
52. Burnam MA, Stein JA, Golding JM, et al. Sexual assault and mental disorders in a community population. *J Consult Clin Psychol*. 1988;56(6):843–850.
53. Glied S, Hoven C, Moore RE, Garrett AB. Medicaid and service use among homeless adults. *Inquiry*. 1998;35(4):380–388.
54. O'Toole TP, Gibbon JL, Hanusa BH, Fine MJ. Preferences for sites of care among urban homeless and housed poor adults. *J Gen Intern Med*. 1999;14(10):599–605.
55. O'Toole TP, Gibbon JL, Hanusa BH, Fine MJ. Utilization of health care services among subgroups of urban homeless and housed poor. *J Health Polit Policy Law*. 1999;24(1):91–114.
56. DeNavas-Walt C, Proctor BD, Smith JC. *Income, Poverty, and Health Insurance Coverage in the United States: 2007*. Washington, DC: US Census Bureau; 2008.
57. *Medical Expenditure Panel Survey, 2006: Access to Care Tables 4.2–4.4*. Rockville, MD: Agency for Healthcare Research and Quality; 2006.
58. Kaiser Family Foundation. Medicaid benefits: online database. Available at: <http://medicaidbenefits.kff.org>. Accessed March 22, 2010.
59. US Dept of Health and Human Services, Centers for Medicare and Medicaid Services. Medicaid dental coverage overview. Available at: <http://www.cms.hhs.gov/MedicaidDentalCoverage>. Accessed March 22, 2010.
60. Baker DW, Shapiro MF, Schur CL. Health insurance and access to care for symptomatic conditions. *Arch Intern Med*. 2000;160(9):1269–1274.
61. Hafner-Eaton C. Physician utilization disparities between the uninsured and insured: comparisons of the chronically ill, acutely ill, and well nonelderly populations. *JAMA*. 1993;269(6):787–792.
62. Freeman HE, Blendon RJ, Aiken LH, Sudman S, Mullinix CF, Corey CR. Americans report on their access to health care. *Health Aff (Millwood)*. 1987;6(1):6–8.
63. Gelberg L, Gallagher TC, Andersen RM, Koegel P. Competing priorities as a barrier to medical care among homeless adults in Los Angeles. *Am J Public Health*. 1997;87(2):217–220.
64. Kushel MB, Gupta R, Gee L, Haas JS. Housing instability and food insecurity as barriers to health care among low-income Americans. *J Gen Intern Med*. 2006;21(1):71–77.
65. Collins SR, Schoen C, Colasanto D, Downey DA. On the edge: low-wage workers and their health insurance coverage: findings from the Commonwealth Fund 2001 Health Insurance Survey. *Issue Brief (Commonw Fund)*. March 3, 2003:1–8
66. Fronstin P. Employment-based health benefits: trends in access and coverage. *EBRI Issue Brief*. August 2005:1–27.
67. Fronstin P, Helman R, Greenwald M. Small employers and health benefits: findings from the 2002 Small Employer Health Benefits Survey. *EBRI Issue Brief*. January 2003:1–21.
68. DeNavas-Walt C, Proctor BD, Mills RJ. *Income, Poverty, and Health Insurance Coverage in the United States: 2003*. Washington, DC: US Census Bureau; 2004.
69. Tweddle A. Youth leaving care: how do they fare? *New Dir Youth Dev*. 2007;113:15–31.
70. Bassuk EL, Buckner JC, Weinreb LF, et al. Homelessness in female-headed families: childhood and adult risk and protective factors. *Am J Public Health*. 1997;87(2):241–248.
71. Courtney ME, Heuring DH. The transition to adulthood for youth “aging out” of the foster care system. In: Osgood DW, Foster EM, Flanagan C, Ruth G, eds. *On Your Own Without a Net: The Transition to Adulthood for Vulnerable Populations*. Chicago, IL: University of Chicago Press; 2005:27–67.
72. Koegel P, Melamid E, Burnam A. Childhood risk factors for homelessness among homeless adults. *Am J Public Health*. 1995;85(12):1642–1649.
73. Kushel MB, Yen IH, Gee L, Courtney ME. Homelessness and health care access after emancipation: results from the Midwest Evaluation of Adult Functioning of Former Foster Youth. *Arch Pediatr Adolesc Med*. 2007;161(10):986–993.
74. Herman DB, Susser ES, Struening EL. Childhood out-of-home care and current depressive symptoms among homeless adults. *Am J Public Health*. 1994;84(11):1849–1851.
75. Viner RM, Taylor B. Adult health and social outcomes of children who have been in public care: population-based study. *Pediatrics*. 2005;115(4):894–899.
76. *Foster Care: Effectiveness of Independent Living Services Unknown*. Washington, DC: US General Accounting Office; 1999.
77. Kushel MB, Evans JL, Perry S, Robertson MJ, Moss AR. No door to lock: victimization among homeless and marginally housed persons. *Arch Intern Med*. 2003;163(20):2492–2499.
78. *Hunger and Homelessness Survey: A Status Report on Hunger and Homelessness in America's Cities: A 25-City Survey*. Washington, DC: United States Conference of Mayors; 2008.

This article has been cited by:

1. Travis P. Baggett, Awesta Yaqubi, Seth A. Berkowitz, Sara M. Kalkhoran, Claire McGlave, Yuchiao Chang, Eric G. Campbell, Nancy A. Rigotti. 2018. Subsistence difficulties are associated with more barriers to quitting and worse abstinence outcomes among homeless smokers: evidence from two studies in Boston, Massachusetts. *BMC Public Health* **18**:1. . [[Crossref](#)]
2. Kele Ding, Matthew Slate, Jingzhen Yang. 2018. History of co-occurring disorders and current mental health status among homeless veterans. *BMC Public Health* **18**:1. . [[Crossref](#)]
3. Audrey L. Jones, Leslie R.M. Hausmann, Stefan Kertesz, Ying Suo, John P. Cashy, Maria K. Mor, James H. Schaefer, Adi V. Gundlapalli, Adam J. Gordon. 2018. Differences in Experiences With Care Between Homeless and Nonhomeless Patients in Veterans Affairs Facilities With Tailored and Nontailored Primary Care Teams. *Medical Care* **56**:7, 610-618. [[Crossref](#)]
4. Anna Durbin, Yona Lunskey, Ri Wang, Rosane Nisenbaum, Stephen W. Hwang, Patricia O'Campo, Vicky Stergiopoulos. 2018. The Effect of Housing First on Housing Stability for People with Mental Illness and Low Intellectual Functioning. *The Canadian Journal of Psychiatry* **69**, 070674371878294. [[Crossref](#)]
5. Travis P. Baggett, Samantha S. Liauw, Stephen W. Hwang. 2018. Cardiovascular Disease and Homelessness. *Journal of the American College of Cardiology* **71**:22, 2585-2597. [[Crossref](#)]
6. Tomáš Habánik. 2018. Mental health problems as one of the factors in the development and persistence of homelessness. *Kontakt* **20**:2, e171-e176. [[Crossref](#)]
7. Amanda Reichard, Michelle Stransky, Debra Brucker, Andrew Houtenville. 2018. The relationship between employment and health and health care among working-age adults with and without disabilities in the United States. *Disability and Rehabilitation* **13**, 1-9. [[Crossref](#)]
8. Laura Kaplan-Weisman, Eve Waltermaurer, Casey Crump. 2018. Assessing and Improving Zoster Vaccine Uptake in a Homeless Population. *Journal of Community Health* **99**. . [[Crossref](#)]
9. Jack Tsai, Jessica Blue-Howells, John Nakashima. 2018. Needs of homeless veterans: 5 years of the CHALENG Survey 2012–16. *Journal of Public Health* **34**. . [[Crossref](#)]
10. Vicky Stergiopoulos, Agnes Gozdzik, Rosane Nisenbaum, Janet Durbin, Stephen W. Hwang, Patricia O'Campo, Joshua Tepper, Don Wasylenki. 2018. Bridging Hospital and Community Care for Homeless Adults with Mental Health Needs: Outcomes of a Brief Interdisciplinary Intervention. *The Canadian Journal of Psychiatry* **164**, 070674371877253. [[Crossref](#)]
11. Brandi White, Charles Ellis, Walter Jones, William Moran, Kit Simpson. 2018. The effect of the global financial crisis on preventable hospitalizations among the homeless in New York State. *Journal of Health Services Research & Policy* **23**:2, 80-86. [[Crossref](#)]
12. Anna Zenarolla. 2018. La salute delle persone senza dimora:una sfida per l'integrazione sociosanitaria. *SALUTE E SOCIETÀ* :2, 151-165. [[Crossref](#)]
13. Sungwoo Lim, Tejinder P. Singh, Gerod Hall, Sarah Walters, L. Hannah Gould. 2018. Impact of a New York City Supportive Housing Program on Housing Stability and Preventable Health Care among Homeless Families. *Health Services Research* **29**. . [[Crossref](#)]
14. Carole C. Upshur, Darlene Jenkins, Linda Weinreb, Lillian Gelberg, Elizabeth Aaker Orvek. 2018. Homeless women's service use, barriers, and motivation for participating in substance use treatment. *The American Journal of Drug and Alcohol Abuse* **44**:2, 252-262. [[Crossref](#)]
15. Thomas P. O'Toole, Erin E. Johnson, Matthew Borgia, Amy Noack, Jean Yoon, Elizabeth Gehlert, Jeanie Lo. 2018. Population-Tailored Care for Homeless Veterans and Acute Care Use, Cost, and Satisfaction: A Prospective Quasi-Experimental Trial. *Preventing Chronic Disease* **15**. . [[Crossref](#)]
16. Maya Vijayaraghavan, Pamela Olsen, John Weeks, Karma McKelvey, Claudia Ponath, Margot Kushel. 2018. Older African American Homeless-Experienced Smokers' Attitudes Toward Tobacco Control Policies—Results from the HOPE HOME Study. *American Journal of Health Promotion* **32**:2, 381-391. [[Crossref](#)]
17. Barbara Van Straaten, Gerda Rodenburg, Jorien Van der Laan, Sandra N. Boersma, Judith R. L. M. Wolf, Dike Van de Mheen. 2018. Changes in Social Exclusion Indicators and Psychological Distress Among Homeless People Over a 2.5-Year Period. *Social Indicators Research* **135**:1, 291-311. [[Crossref](#)]
18. Amy M. Donley, James D. Wright. 2018. The health of the homeless. *Sociology Compass* **12**:1, e12550. [[Crossref](#)]
19. Caroline Shulman, Briony F Hudson, Joseph Low, Nigel Hewett, Julian Daley, Peter Kennedy, Sarah Davis, Niamh Brophy, Diana Howard, Bella Vivat, Patrick Stone. 2018. End-of-life care for homeless people: A qualitative analysis exploring the challenges to access and provision of palliative care. *Palliative Medicine* **32**:1, 36-45. [[Crossref](#)]

20. Olamide Ojo-Fati, Anne M. Joseph, Jed Ig-Izevbekhai, Janet L. Thomas, Susan A. Everson-Rose, Rebekah Pratt, Nancy Raymond, Ned L. Cooney, Xianghua Luo, Kolawole S. Okuyemi. 2017. Practical issues regarding implementing a randomized clinical trial in a homeless population: strategies and lessons learned. *Trials* **18**:1. . [[Crossref](#)]
21. Natasa Popovic, Zorica Terzic-Supic, Snezana Simic, Biljana Mladenovic. 2017. Predictors of unmet health care needs in Serbia; Analysis based on EU-SILC data. *PLOS ONE* **12**:11, e0187866. [[Crossref](#)]
22. Erik J. Groessl, Lin Liu, Douglas G. Chang, Julie L. Wetherell, Jill E. Bormann, J. Hamp Atkinson, Sunita Baxi, Laura Schmalzl. 2017. Yoga for Military Veterans with Chronic Low Back Pain: A Randomized Clinical Trial. *American Journal of Preventive Medicine* **53**:5, 599-608. [[Crossref](#)]
23. Arnaud Duhoux, Tim Aubry, John Ecker, Rebecca Cherner, Ayda Agha, Matthew J. To, Stephen W. Hwang, Anita Palepu. 2017. Determinants of Unmet Mental Healthcare Needs of Single Adults Who Are Homeless or Vulnerably Housed. *Canadian Journal of Community Mental Health* **36**:3, 41-57. [[Crossref](#)]
24. Erik Schokkaert, Jonas Steel, Carine Van de Voorde. 2017. Out-of-Pocket Payments and Subjective Unmet Need of Healthcare. *Applied Health Economics and Health Policy* **15**:5, 545-555. [[Crossref](#)]
25. Nick Kerman, Reena Sirohi, Susan Eckerle Curwood, John Trainor. 2017. Canadian Service Providers' Perceptions of Barriers and Support Gaps in Housing and Mental Health. *Canadian Journal of Community Mental Health* **36**:2, 61-75. [[Crossref](#)]
26. Sarah Pakzad, Paul-Émile Bourque, Jimmy Bourque, Tim Aubry, Lise Gallant, Stefanie R. LeBlanc, John Tivendell. 2017. A Comparison of the Use of Physical and Mental Health Services by Homeless People With Severe Mental Health Problems in the Moncton Area Through the At Home/Chez Soi Program. *Canadian Journal of Community Mental Health* **36**:2, 77-105. [[Crossref](#)]
27. Cécile Vuillermoz, Stéphanie Vandentorren, Ruben Brondeel, Pierre Chauvin. 2017. Unmet healthcare needs in homeless women with children in the Greater Paris area in France. *PLOS ONE* **12**:9, e0184138. [[Crossref](#)]
28. John C. Landefeld, Christine Miaskowski, Lina Tieu, Claudia Ponath, Christopher T. Lee, David Guzman, Margot Kushel. 2017. Characteristics and Factors Associated With Pain in Older Homeless Individuals: Results From the Health Outcomes in People Experiencing Homelessness in Older Middle Age (HOPE HOME) Study. *The Journal of Pain* **18**:9, 1036-1045. [[Crossref](#)]
29. Jillian Weber, Rebecca C. Lee, Donna Martsolf. 2017. Understanding the health of veterans who are homeless: A review of the literature. *Public Health Nursing* **34**:5, 505-511. [[Crossref](#)]
30. Lara Wyatt. 2017. Positive outcomes for homeless patients in UCLH Pathway programme. *British Journal of Healthcare Management* **23**:8, 367-371. [[Crossref](#)]
31. Allison N. Ponce, Beryl Ann Cowan, Paul A. Toro, Joseph E. Schumacher, Seymour Z. Gross, James H. Bray, Hilary Aralis, Norweeta G. Milburn. 2017. Psychologists' roles in ending homelessness. *Journal of Social Distress and the Homeless* **26**:2, 116-127. [[Crossref](#)]
32. Emily B. Jones, Julia Zur, Sara Rosenbaum. 2017. Homeless Caseload is Associated with Behavioral Health and Case Management Staffing in Health Centers. *Administration and Policy in Mental Health and Mental Health Services Research* **44**:4, 492-500. [[Crossref](#)]
33. Stephanie M. Harman. 2017. Psychiatric and Palliative Care in the Intensive Care Unit. *Critical Care Clinics* **33**:3, 735-743. [[Crossref](#)]
34. Rhodri Dierst-Davies, Amy Rock Wohl, Glenda Pinney, Christopher H. Johnson, Craig Vincent-Jones, Mario J. Pérez. 2017. Methods to Obtain a Representative Sample of Ryan White-Funded Patients for a Needs Assessment in Los Angeles County: Results from a Replicable Approach. *Journal of the International Association of Providers of AIDS Care (JIAPAC)* **16**:4, 383-395. [[Crossref](#)]
35. Alan Maddock, David Hevey, Katharina Eidenmueller. 2017. Mindfulness Training as a Clinical Intervention with Homeless Adults: a Pilot Study. *International Journal of Mental Health and Addiction* **15**:3, 529-544. [[Crossref](#)]
36. Louise F. Brown, Pauline J. Ford, Anne L. Symons. 2017. Periodontal disease and the special needs patient. *Periodontology* **2000** **74**:1, 182-193. [[Crossref](#)]
37. Jeanne L. Alhusen, Carole Norris-Shortle, Kim Cosgrove, Lauren Marks. 2017. "I'M OPENING MY ARMS RATHER THAN PUSHING AWAY." PERCEIVED BENEFITS OF A MINDFULNESS-BASED INTERVENTION AMONG HOMELESS WOMEN AND YOUNG CHILDREN. *Infant Mental Health Journal* **38**:3, 434-442. [[Crossref](#)]
38. Kristin Turney. 2017. Unmet Health Care Needs among Children Exposed to Parental Incarceration. *Maternal and Child Health Journal* **21**:5, 1194-1202. [[Crossref](#)]

39. Keith Pak-Hei Hau, Brenda Lee Currie, Samson Pak-Yan Ng, Nhu Le, Catherine Fang-Yeu Poh. 2017. Oral health status and possible explanatory factors of an inner-city low-income community. *Journal of Dental Sciences* **12**:1, 49-55. [[Crossref](#)]
40. Sheryl B. Fleisch, Robertson Nash. 2017. Medical Care of the Homeless. *Primary Care: Clinics in Office Practice* **44**:1, 57-65. [[Crossref](#)]
41. Jens Detollenaere, Lise Hanssens, Veerle Vyncke, Jan De Maeseener, Sara Willems. 2017. Do We Reap What We Sow? Exploring the Association between the Strength of European Primary Healthcare Systems and Inequity in Unmet Need. *PLOS ONE* **12**:1, e0169274. [[Crossref](#)]
42. Barbara Van Straaten, Gerda Rodenburg, Jorien Van der Laan, Sandra N. Boersma, Judith R.L.M. Wolf, Dike Van de Mheen. 2017. Self-reported care needs of Dutch homeless people with and without a suspected intellectual disability: a 1.5-year follow-up study. *Health & Social Care in the Community* **25**:1, 123-136. [[Crossref](#)]
43. J. V. Seale, R. Fallaize, J. A. Lovegrove. 2016. Nutrition and the homeless: the underestimated challenge. *Nutrition Research Reviews* **29**:02, 143-151. [[Crossref](#)]
44. Ana Castaneda-Guarderas, Jeffrey Glassberg, Corita R. Grudzen, Ka Ming Ngai, Margaret E. Samuels-Kalow, Erica Shelton, Stephen P. Wall, Lynne D. Richardson. 2016. Shared Decision Making With Vulnerable Populations in the Emergency Department. *Academic Emergency Medicine* **23**:12, 1410-1416. [[Crossref](#)]
45. Vicky Stergiopoulos, Agnes Gozdzik, Vachan Misir, Anna Skosireva, Aseefa Sarang, Jo Connelly, Adam Whisler, Kwame McKenzie. 2016. The effectiveness of a Housing First adaptation for ethnic minority groups: findings of a pragmatic randomized controlled trial. *BMC Public Health* **16**:1. . [[Crossref](#)]
46. Penny J. D'Ath, Laura J. Keywood, Elaine C. Styles, Clare M. Wilson. 2016. East London's Homeless: a retrospective review of an eye clinic for homeless people. *BMC Health Services Research* **16**:1. . [[Crossref](#)]
47. Terri LaCoursiere Zucchero, Sarah McDannold, D. Keith McInnes. 2016. "Walking in a maze": community providers' difficulties coordinating health care for homeless patients. *BMC Health Services Research* **16**:1. . [[Crossref](#)]
48. Jennifer L. Stanley, Alexandra V. Jansson, Adebola A. Akinyemi, Clifford S. Mitchell. 2016. Characteristics of Violent Deaths Among Homeless People in Maryland, 2003–2011. *American Journal of Preventive Medicine* **51**:5, S260-S266. [[Crossref](#)]
49. Seung Eun Lee, Miyeon Yeon, Chul-Woung Kim, Tae-Ho Yoon. 2016. The Association Among Individual and Contextual Factors and Unmet Healthcare Needs in South Korea: A Multilevel Study Using National Data. *Journal of Preventive Medicine and Public Health* **49**:5, 308-322. [[Crossref](#)]
50. Denise Jaworsky, Anne Gadermann, Arnaud Duhoux, Trudy E. Naismith, Monica Norena, Matthew J. To, Stephen W. Hwang, Anita Palepu. 2016. Residential Stability Reduces Unmet Health Care Needs and Emergency Department Utilization among a Cohort of Homeless and Vulnerably Housed Persons in Canada. *Journal of Urban Health* **93**:4, 666-681. [[Crossref](#)]
51. Milad Parpouchi, Akm Moniruzzaman, Angela Russolillo, Julian M. Somers. 2016. Food Insecurity among Homeless Adults with Mental Illness. *PLOS ONE* **11**:7, e0159334. [[Crossref](#)]
52. Theddeus Iheanacho, Robert Rosenheck. 2016. Prevalence and correlates of diabetes mellitus among homeless veterans nationally in the Veterans Health Administration. *Journal of Social Distress and the Homeless* **25**:2, 53-59. [[Crossref](#)]
53. Sarah K. Dobbins, Marissa Cruz, Saima Shah, Lyndsey Abt, Jamie Moore, Joshua Bamberger. 2016. Nurses in Supportive Housing are Associated With Decreased Health Care Utilization and Improved HIV Biomarkers in Formerly Homeless Adults. *Journal of the Association of Nurses in AIDS Care* **27**:4, 444-454. [[Crossref](#)]
54. Sarah C. Oppenheimer, Paula S. Nurius, Sara Green. 2016. Homelessness History Impacts on Health Outcomes and Economic and Risk Behavior Intermediaries: New Insights from Population Data. *Families in Society: The Journal of Contemporary Social Services* **97**:3, 230-242. [[Crossref](#)]
55. Erik J. Groessl, Laura Schmalzl, Meghan Maiya, Lin Liu, Debora Goodman, Douglas G. Chang, Julie L. Wetherell, Jill E. Bormann, J. Hamp Atkinson, Sunita Baxi. 2016. Yoga for veterans with chronic low back pain: Design and methods of a randomized clinical trial. *Contemporary Clinical Trials* **48**, 110-118. [[Crossref](#)]
56. Carol Coohy, Scott D. Easton. 2016. Distal Stressors and Depression among Homeless Men. *Health & Social Work* **41**:2, 111-119. [[Crossref](#)]
57. Julia Zur, Sabriya Linton, Holly Mead. 2016. Medical Respite and Linkages to Outpatient Health Care Providers among Individuals Experiencing Homelessness. *Journal of Community Health Nursing* **33**:2, 81-89. [[Crossref](#)]
58. Thomas P. O'Toole, Erin E. Johnson, Riccardo Aiello, Vincent Kane, Lisa Pape. 2016. Tailoring Care to Vulnerable Populations by Incorporating Social Determinants of Health: the Veterans Health Administration's "Homeless Patient Aligned Care Team" Program. *Preventing Chronic Disease* **13**. . [[Crossref](#)]

59. H. Winetrobe, E. Rice, H. Rhoades, N. Milburn. 2016. Health insurance coverage and healthcare utilization among homeless young adults in Venice, CA. *Journal of Public Health* **38**:1, 147-155. [[Crossref](#)]
60. Eric Hermes, Robert Rosenheck. 2016. Psychopharmacologic Services for Homeless Veterans: Comparing Psychotropic Prescription Fills Among Homeless and Non-Homeless Veterans with Serious Mental Illness. *Community Mental Health Journal* **52**:2, 142-147. [[Crossref](#)]
61. Jennifer Davis-Berman. 2016. Negotiating the service system: Professionals and patients talk about healthcare for the homeless in a Midwestern City in the U.S. *Journal of Social Distress and the Homeless* **25**:1, 19-25. [[Crossref](#)]
62. Denise De Las Nueces. Stigma and Prejudice Against Individuals Experiencing Homelessness 85-101. [[Crossref](#)]
63. Lorra Garey, Lorraine R. Reitzel, Darla E. Kendzor, Michael S. Businelle. 2016. The Potential Explanatory Role of Perceived Stress in Associations Between Subjective Social Status and Health-Related Quality of Life Among Homeless Smokers. *Behavior Modification* **40**:1-2, 303-324. [[Crossref](#)]
64. Jessica L. Mackelprang, Qian Qiu, Frederick P. Rivara. 2015. Predictors of Emergency Department Visits and Inpatient Admissions Among Homeless and Unstably Housed Adolescents and Young Adults. *Medical Care* **53**:12, 1010-1017. [[Crossref](#)]
65. David J. T. Campbell, Braden G. O'Neill, Katherine Gibson, Wilfreda E. Thurston. 2015. Primary healthcare needs and barriers to care among Calgary's homeless populations. *BMC Family Practice* **16**:1. . [[Crossref](#)]
66. Allison O'Rourke, Monica S. Ruiz, Sean T. Allen. 2015. Client-Identified needs and agency-provided services at a harm reduction community based organization in the District of Columbia. *Harm Reduction Journal* **12**:1. . [[Crossref](#)]
67. Travis P. Baggett, Yuchiao Chang, Bianca C. Porneala, Monica Bharel, Daniel E. Singer, Nancy A. Rigotti. 2015. Disparities in Cancer Incidence, Stage, and Mortality at Boston Health Care for the Homeless Program. *American Journal of Preventive Medicine* **49**:5, 694-702. [[Crossref](#)]
68. Benissa E. Salem, Adey Nyamathi, ANP, Cathy Reback, Steven Shoptaw, Sheldon Zhang, Olga Nudelman. 2015. Unmet Physical and Mental Healthcare Needs Among Stimulant-using Gay and Bisexual Homeless Men. *Issues in Mental Health Nursing* **36**:9, 685-692. [[Crossref](#)]
69. Sabine Chaupain-Guillot, Olivier Guillot. 2015. Health system characteristics and unmet care needs in Europe: an analysis based on EU-SILC data. *The European Journal of Health Economics* **16**:7, 781-796. [[Crossref](#)]
70. Adam M. Lippert, Barrett A. Lee. 2015. Stress, Coping, and Mental Health Differences among Homeless People. *Sociological Inquiry* **85**:3, 343-374. [[Crossref](#)]
71. Thomas P. O'Toole, Erin E. Johnson, Matthew L. Borgia, Jennifer Rose. 2015. Tailoring Outreach Efforts to Increase Primary Care Use Among Homeless Veterans: Results of a Randomized Controlled Trial. *Journal of General Internal Medicine* **30**:7, 886-898. [[Crossref](#)]
72. Charlotte E. Hunter, Anita Palepu, Susan Farrell, Evie Gogosis, Kristen O'Brien, Stephen W. Hwang. 2015. Barriers to Prescription Medication Adherence Among Homeless and Vulnerably Housed Adults in Three Canadian Cities. *Journal of Primary Care & Community Health* **6**:3, 154-161. [[Crossref](#)]
73. Rita Barradas Barata, Nivaldo Carneiro Junior, Manoel Carlos Sampaio de Almeida Ribeiro, Cássio Silveira. 2015. Desigualdade social em saúde na população em situação de rua na cidade de São Paulo. *Saúde e Sociedade* **24**:suppl 1, 219-232. [[Crossref](#)]
74. Joya G. Chrystal, Dawn L. Glover, Alexander S. Young, Fiona Whelan, Erika L. Austin, Nancy K. Johnson, David E. Pollio, Cheryl L. Holt, Erin Stringfellow, Adam J. Gordon, Theresa A. Kim, Shanette G. Daigle, Jocelyn L. Steward, Stefan G. Kertesz. 2015. Experience of Primary Care among Homeless Individuals with Mental Health Conditions. *PLOS ONE* **10**:2, e0117395. [[Crossref](#)]
75. Toby Raeburn, Virginia Schmied, Catherine Hungerford, Michelle Cleary. 2015. Self-determination Theory: A Framework for Clubhouse Psychosocial Rehabilitation Research. *Issues in Mental Health Nursing* **36**:2, 145-151. [[Crossref](#)]
76. Anna Skosireva, Patricia O'Campo, Suzanne Zerger, Catharine Chambers, Susan Gapka, Vicky Stergiopoulos. 2014. Different faces of discrimination: perceived discrimination among homeless adults with mental illness in healthcare settings. *BMC Health Services Research* **14**:1. . [[Crossref](#)]
77. Jin Huang, Julie Birkenmaier, Youngmi Kim. 2014. Job Loss and Unmet Health Care Needs in the Economic Recession: Different Associations by Family Income. *American Journal of Public Health* **104**:11, e178-e183. [[Abstract](#)] [[Full Text](#)] [[PDF](#)] [[PDF Plus](#)]

78. Jessica L. Mackelprang, Susan E. Collins, Seema L. Clifasefi. 2014. Housing First Is Associated with Reduced Use of Emergency Medical Services. *Prehospital Emergency Care* **18**:4, 476-482. [[Crossref](#)]
79. Seena Fazel, John R Geddes, Margot Kushel. 2014. The health of homeless people in high-income countries: descriptive epidemiology, health consequences, and clinical and policy recommendations. *The Lancet* **384**:9953, 1529-1540. [[Crossref](#)]
80. Leslie E. Roos, Jino Distasio, Shay-Lee Bolton, Laurence Y. Katz, Tracie O. Affi, Corinne Isaak, Paula Goering, Lucille Bruce, Jitender Sareen. 2014. A history in-care predicts unique characteristics in a homeless population with mental illness. *Child Abuse & Neglect* **38**:10, 1618-1627. [[Crossref](#)]
81. Kelly M. Doran, Martha Shumway, Rani A. Hoff, Oni J. Blackstock, Samantha E. Dilworth, Elise D. Riley. 2014. Correlates of Hospital Use in Homeless and Unstably Housed Women: The Role of Physical Health and Pain. *Women's Health Issues* **24**:5, 535-541. [[Crossref](#)]
82. Marc Galanter, Helen Dermatis, Cristal Sampson. 2014. Narcotics Anonymous: A Comparison of Military Veterans and Non-Veterans. *Journal of Addictive Diseases* **33**:3, 187-195. [[Crossref](#)]
83. Ramin Asgary, Victoria Garland, Andrea Jakubowski, Blanca Sckell. 2014. Colorectal Cancer Screening Among the Homeless Population of New York City Shelter-Based Clinics. *American Journal of Public Health* **104**:7, 1307-1313. [[Abstract](#)] [[Full Text](#)] [[PDF](#)] [[PDF Plus](#)]
84. PJ Ford, S Cramb, CS Farah. 2014. Oral health impacts and quality of life in an urban homeless population. *Australian Dental Journal* **59**:2, 234-239. [[Crossref](#)]
85. R. David Parker, Shana Dykema. 2014. Differences in Risk Behaviors, Care Utilization, and Comorbidities in Homeless Persons Based on HIV Status. *Journal of the Association of Nurses in AIDS Care* **25**:3, 214-223. [[Crossref](#)]
86. Bright Chen, Analiza Mitchell, David Tran. 2014. "Step Up for Foot Care". *Journal of the American Podiatric Medical Association* **104**:3, 269-276. [[Crossref](#)]
87. Alicia J. Hauff, Molly Secor-Turner. 2014. Homeless Health Needs: Shelter and Health Service Provider Perspective. *Journal of Community Health Nursing* **31**:2, 103-117. [[Crossref](#)]
88. Emily Jones, Leighton Ku, Shelagh Smith, Michael Lardiere. 2014. County Workforce, Reimbursement, and Organizational Factors Associated with Behavioral Health Capacity in Health Centers. *The Journal of Behavioral Health Services & Research* **41**:2, 125-139. [[Crossref](#)]
89. Brian S. Fuehrlein, Alexander J. Cowell, David E. Pollio, Lori Y. Cupps, Margaret E. Balfour, Carol S. North. 2014. Deriving costs of service use among an urban homeless population. *Journal of Substance Abuse Treatment* **46**:4, 491-497. [[Crossref](#)]
90. Jo Brocato, Dennis G. Fisher, Grace L. Reynolds, Mike A. Janson. 2014. Drug Treatment Utilization Among Illicit Drug Users Receiving HIV Prevention Services in Los Angeles County. *Journal of HIV/AIDS & Social Services* **13**:2, 125-143. [[Crossref](#)]
91. Jae-Woo Choi, Jae-Hyun Kim, Eun-Cheol Park. 2014. The Relief Effect of Copayment Decreasing Policy on Unmet Needs in Targeted Diseases. *Health Policy and Management* **24**:1, 24-34. [[Crossref](#)]
92. Lisa Muirhead. 2014. Cancer Risk Factors Among Adults with Serious Mental Illness. *American Journal of Preventive Medicine* **46**:3, S98-S103. [[Crossref](#)]
93. Stefan G. Kertesz. Homelessness and Health Care 1159-1169. [[Crossref](#)]
94. Stefan G. Kertesz, Whitney McNeil, Julie J. Cash, Renee Desmond, Gerald McGwin, Jason Kelly, Travis P. Baggett. 2014. Unmet Need for Medical Care and Safety Net Accessibility among Birmingham's Homeless. *Journal of Urban Health* **91**:1, 33-45. [[Crossref](#)]
95. S. Feodor Nilsson, C. R. Hjorthoj, A. Erlangsen, M. Nordentoft. 2014. Suicide and unintentional injury mortality among homeless people: a Danish nationwide register-based cohort study. *The European Journal of Public Health* **24**:1, 50-56. [[Crossref](#)]
96. Kristen Faye Linton, Michael S. Shafer. 2014. Factors Associated with the Health Service Utilization of Unsheltered, Chronically Homeless Adults. *Social Work in Public Health* **29**:1, 73-80. [[Crossref](#)]
97. Carole C. Upshur, Linda Weinreb, Debbie M. Cheng, Theresa W. Kim, Jeffrey H. Samet, Richard Saitz. 2014. Does experiencing homelessness affect women's motivation to change alcohol or drug use?. *The American Journal on Addictions* **23**:1, 76-83. [[Crossref](#)]
98. Elizabeth Nunez, Gretchen Gibson, Judith A. Jones, John A. Schinka. 2013. Evaluating the Impact of Dental Care on Housing Intervention Program Outcomes Among Homeless Veterans. *American Journal of Public Health* **103**:S2, S368-S373. [[Abstract](#)] [[Full Text](#)] [[PDF](#)] [[PDF Plus](#)]

99. Ann Elizabeth Montgomery, J. J. Cutuli, Michelle Evans-Chase, Dan Treglia, Dennis P. Culhane. 2013. Relationship Among Adverse Childhood Experiences, History of Active Military Service, and Adult Outcomes: Homelessness, Mental Health, and Physical Health. *American Journal of Public Health* **103**:S2, S262-S268. [[Abstract](#)] [[Full Text](#)] [[PDF](#)] [[PDF Plus](#)]
100. Stefan G. Kertesz, Cheryl L. Holt, Jocelyn L. Steward, Richard N. Jones, David L. Roth, Erin Stringfellow, Adam J. Gordon, Theresa W. Kim, Erika L. Austin, Stephen Randal Henry, N. Kay Johnson, U. Shanette Granstaff, James J. O'Connell, Joya F. Golden, Alexander S. Young, Lori L. Davis, David E. Pollio. 2013. Comparing Homeless Persons' Care Experiences in Tailored Versus Nontailored Primary Care Programs. *American Journal of Public Health* **103**:S2, S331-S339. [[Abstract](#)] [[Full Text](#)] [[PDF](#)] [[PDF Plus](#)]
101. Kelly M. Doran, Anita A. Vashi, Stephanie Platis, Leslie A. Curry, Michael Rowe, Maureen Gang, Federico E. Vaca. 2013. Navigating the Boundaries of Emergency Department Care: Addressing the Medical and Social Needs of Patients Who Are Homeless. *American Journal of Public Health* **103**:S2, S355-S360. [[Abstract](#)] [[Full Text](#)] [[PDF](#)] [[PDF Plus](#)]
102. D. Keith McInnes, Alice E. Li, Timothy P. Hogan. 2013. Opportunities for Engaging Low-Income, Vulnerable Populations in Health Care: A Systematic Review of Homeless Persons' Access to and Use of Information Technologies. *American Journal of Public Health* **103**:S2, e11-e24. [[Abstract](#)] [[Full Text](#)] [[PDF](#)] [[PDF Plus](#)]
103. Thomas Byrne, Ann Elizabeth Montgomery, Daniel Treglia, Christopher Brent Roberts, Dennis P. Culhane. 2013. Health Services Use Among Veterans Using U.S. Department of Veterans Affairs and Mainstream Homeless Services. *World Medical & Health Policy* **5**:4, 347-361. [[Crossref](#)]
104. Dennis P. Culhane, Stephen Metraux, Thomas Byrne, Magdi Stino, Jay Bainbridge. 2013. The Age Structure of Contemporary Homelessness: Evidence and Implications For Public Policy. *Analyses of Social Issues and Public Policy* **13**:1, 228-244. [[Crossref](#)]
105. Niran Argintaru, Catharine Chambers, Evie Gogosis, Susan Farrell, Anita Palepu, Fran Klodawsky, Stephen W Hwang. 2013. A cross-sectional observational study of unmet health needs among homeless and vulnerably housed adults in three Canadian cities. *BMC Public Health* **13**:1. . [[Crossref](#)]
106. Travis P. Baggett, Lydie A. Lebrun-Harris, Nancy A. Rigotti. 2013. Homelessness, cigarette smoking and desire to quit: results from a US national study. *Addiction* **108**:11, 2009-2018. [[Crossref](#)]
107. Anita Palepu, Anne Gadermann, Anita M. Hubley, Susan Farrell, Evie Gogosis, Tim Aubry, Stephen W. Hwang. 2013. Substance Use and Access to Health Care and Addiction Treatment among Homeless and Vulnerably Housed Persons in Three Canadian Cities. *PLoS ONE* **8**:10, e75133. [[Crossref](#)]
108. Renée de Vet, Maurice J. A. van Luijtelaar, Sonja N. Brilleslijper-Kater, Wouter Vanderplasschen, Mariëlle D. Beijersbergen, Judith R. L. M. Wolf. 2013. Effectiveness of Case Management for Homeless Persons: A Systematic Review. *American Journal of Public Health* **103**:10, e13-e26. [[Abstract](#)] [[Full Text](#)] [[PDF](#)] [[PDF Plus](#)] [[Supplemental Material](#)]
109. 2013. Committee Opinion No. 576. *Obstetrics & Gynecology* **122**:4, 936-940. [[Crossref](#)]
110. Donna J. Biederman, Tracy R. Nichols, Elizabeth W. Lindsey. 2013. Homeless women's experiences of social support from service providers. *Journal of Public Mental Health* **12**:3, 136-145. [[Crossref](#)]
111. Raymond J. Higbea, Charles H. Palumbo, Samantha A. Pearl, Mary Jo Byrne, Jill Wise. 2013. Dentists' Partnership Of Michigan's Calhoun County: A Care Model For Uninsured Populations. *Health Affairs* **32**:9, 1646-1651. [[Crossref](#)]
112. R. David Parker, Shana Dykema. 2013. The Reality of Homeless Mobility and Implications for Improving Care. *Journal of Community Health* **38**:4, 685-689. [[Crossref](#)]
113. Mary Weber, Lisa Thompson, Sarah J. Schmiede, Karen Peifer, Ed Farrell. 2013. Perception of Access to Health Care by Homeless Individuals Seeking Services at a Day Shelter. *Archives of Psychiatric Nursing* **27**:4, 179-184. [[Crossref](#)]
114. Thomas Byrne, Ann Elizabeth Montgomery, Melissa E. Dichter. 2013. Homelessness Among Female Veterans: A Systematic Review of the Literature. *Women & Health* **53**:6, 572-596. [[Crossref](#)]
115. M. Vijayaraghavan, M. B. Kushel, E. Vittinghoff, S. Kertesz, D. Jacobs, C. E. Lewis, S. Sidney, K. Bibbins-Domingo. 2013. Housing Instability and Incident Hypertension in the CARDIA Cohort. *Journal of Urban Health* **90**:3, 427-441. [[Crossref](#)]
116. Lydie A. Lebrun-Harris, Travis P. Baggett, Darlene M. Jenkins, Alek Sripipatana, Ravi Sharma, A. Seiji Hayashi, Charles A. Daly, Quyen Ngo-Metzger. 2013. Health Status and Health Care Experiences among Homeless Patients in Federally Supported Health Centers: Findings from the 2009 Patient Survey. *Health Services Research* **48**:3, 992-1017. [[Crossref](#)]
117. Julie A. Cederbaum, Suzanne L. Wenzel, Mary Lou Gilbert, Elizabeth Chereji. 2013. The HIV Risk Reduction Needs of Homeless Women in Los Angeles. *Women's Health Issues* **23**:3, e167-e172. [[Crossref](#)]

118. Ryan McNeil, Manal Guirguis-Younger, Laura B Dilley, Jeffrey Turnbull, Stephen W Hwang. 2013. Learning to account for the social determinants of health affecting homeless persons. *Medical Education* 47:5, 485-494. [[Crossref](#)]
119. Jennifer L. Logan, Alison Frye, Haley O. Pursell, Michael Anderson-Nathe, Juliana E. Scholl, P. Todd Korthuis. 2013. Correlates of HIV Risk Behaviors among Homeless and Unstably Housed Young Adults. *Public Health Reports* 128:3, 153-160. [[Crossref](#)]
120. Harmony Rhoades, Suzanne L. Wenzel. 2013. Correlates of Prescription Drug Misuse Among Heterosexually Active Homeless Men. *Substance Abuse* 34:2, 143-149. [[Crossref](#)]
121. Brian Greenberg, Sophia Korb, Kristen Cronon, Robert Anderson. 2013. Supportive housing best practices in a mid-sized US urban community. *Housing, Care and Support* 16:1, 6-15. [[Crossref](#)]
122. Lois Gerber. 2013. Bringing home effective nursing care for the homeless. *Nursing* 43:3, 32-38. [[Crossref](#)]
123. Alexander C. Tsai, Dan H. Karasic, Gwendolyn P. Hammer, Edwin D. Charlebois, Kathy Ragland, Andrew R. Moss, James L. Sorensen, James W. Dilley, David R. Bangsberg. 2013. Directly Observed Antidepressant Medication Treatment and HIV Outcomes Among Homeless and Marginally Housed HIV-Positive Adults: A Randomized Controlled Trial. *American Journal of Public Health* 103:2, 308-315. [[Abstract](#)] [[Full Text](#)] [[PDF](#)] [[PDF Plus](#)]
124. Stephen J. Notaro, Marium Khan, Christina Kim, Mohammad Nasaruddin, Kinary Desai. 2013. Analysis of the Health Status of the Homeless Clients Utilizing a Free Clinic. *Journal of Community Health* 38:1, 172-177. [[Crossref](#)]
125. Leah K. Bauer, Travis P. Baggett, Theodore A. Stern, Jim J. O'Connell, Derri Shtasel. 2013. Caring for Homeless Persons with Serious Mental Illness in General Hospitals. *Psychosomatics* 54:1, 14-21. [[Crossref](#)]
126. Lori Ann Post, Federico E Vaca, Kelly M Doran, Cali Luco, Matthew Naftilan, James Dziura, Cynthia Brandt, Steven Bernstein, Liudvikas Jagminas, Gail D'Onofrio. 2013. New Media Use by Patients Who Are Homeless: The Potential of mHealth to Build Connectivity. *Journal of Medical Internet Research* 15:9, e195. [[Crossref](#)]
127. Katherine A. Koh, Jessica S. Hoy, James J. O'Connell, Paul Montgomery. 2012. The Hunger–Obesity Paradox: Obesity in the Homeless. *Journal of Urban Health* 89:6, 952-964. [[Crossref](#)]
128. Ryan McNeil, Manal Guirguis-Younger, Laura B Dilley. 2012. Recommendations for improving the end-of-life care system for homeless populations: A qualitative study of the views of Canadian health and social services professionals. *BMC Palliative Care* 11:1. . [[Crossref](#)]
129. Patricia M. Schoon, Barbara E. Champlin, Roberta J. Hunt. 2012. Developing a Sustainable Foot Care Clinic in a Homeless Shelter Within an Academic–Community Partnership. *Journal of Nursing Education* 51:12, 714-718. [[Crossref](#)]
130. Maya Vijayaraghavan, Ana Tochtermann, Eustace Hsu, Karen Johnson, Sue Marcus, Carol L. M. Caton. 2012. Health, Access to Health Care, and Health Care use Among Homeless Women with a History of Intimate Partner Violence. *Journal of Community Health* 37:5, 1032-1039. [[Crossref](#)]
131. Allison N. Ponce, Ashley Clayton, Jenny Noia, Michael Rowe, Maria J. O'Connell. 2012. Making Meaning of Citizenship: Mental Illness, Forensic Involvement, and Homelessness. *Journal of Forensic Psychology Practice* 12:4, 349-365. [[Crossref](#)]
132. Jesse L. Berry, Lloyd M. Cuzzo, Simon R. Bababegy, Peter A. Quiros. 2012. Unmet need for corrective eyeglasses: results from a Los Angeles County Hospital survey. *International Ophthalmology* 32:3, 245-250. [[Crossref](#)]
133. Marilyn Stringer, Tali Averbuch, Pamela Mack Brooks, Loretta Sweet Jemmott. 2012. Response to Homeless Childbearing Women's Health Care Learning Needs. *Clinical Nursing Research* 21:2, 195-212. [[Crossref](#)]
134. Oni J. Blackstock, Sally G. Haskell, Cynthia A. Brandt, Rani A. Desai. 2012. Gender and the Use of Veterans Health Administration Homeless Services Programs Among Iraq/Afghanistan Veterans. *Medical Care* 50:4, 347-352. [[Crossref](#)]
135. R. David Parker, Helmut A. Albrecht. 2012. Barriers to Care and Service Needs Among Chronically Homeless Persons in a Housing First Program. *Professional Case Management* 17:6, 278-284. [[Crossref](#)]
136. Vetta Sanders Thompson, Anjanette Wells, Jacquelyn Coats. Dare to be Sick: Poverty and Health Among Vulnerable Populations 23-47. [[Crossref](#)]
137. Jung Min Park, Angela R. Fertig, Stephen Metraux. 2011. Changes in Maternal Health and Health Behaviors as a Function of Homelessness. *Social Service Review* 85:4, 565-585. [[Crossref](#)]
138. Rafael Guerreiro Osorio, Luciana Mendes Santos Servo, Sérgio Francisco Piola. 2011. Necessidade de saúde insatisfeita no Brasil: uma investigação sobre a não procura de atendimento. *Ciência & Saúde Coletiva* 16:9, 3741-3754. [[Crossref](#)]
139. Blake Barrett, Sondra J. Fogel, Jack Garrett, M. Scott Young. 2011. Assessing Health Care Needs Among Street Homeless and Transitionally Housed Adults. *Journal of Social Service Research* 37:3, 338-350. [[Crossref](#)]

140. Rickelle Richards, Ray M. Merrill, Laurie Baksh, Joanne McGarry. 2011. Maternal health behaviors and infant health outcomes among homeless mothers: U.S. Special Supplemental Nutrition Program for Women, Infants, and Children (WIC) 2000–2007. *Preventive Medicine* 52:1, 87-94. [[Crossref](#)]
141. Lara Carson Weinstein, Benjamin F. Henwood, Jason Matejkowski, Abbie J. Santana. 2011. Moving From Street to Home: Health Status of Entrants to a Housing First Program. *Journal of Primary Care & Community Health* 2:1, 11-15. [[Crossref](#)]